




REMARKS

This amendment is submitted to correct a typographical error. Support for this amendment is found on page 8, lines 14-21 of the specification.

Respectfully submitted,

  
Douglas W. Sprinkle  
Registration No. 27,394  
Gifford, Krass, Groh, Sprinkle,  
Anderson & Citkowski, P.C.  
280 N. Old Woodward Ave., Suite 400  
Birmingham, MI 48009-5394  
(248) 647-6000

Attorney for Applicant

DWS/gs


GS-W:\Word Processing\dws\HPA18702-PreAmd.doc

CERTIFICATE OF MAILING BY "EXPRESS MAIL"

"EXPRESS MAIL" MAILING LABEL NUMBER E L 98317085245

DATE OF DEPOSIT September 9, 2003

I hereby certify that this paper or fee (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service "Express Mail Post Office To Addressee" Service under 37 CFR 1.10 on the date indicated above and is addressed to: Mail Stop Non-Fee Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

  
Lynn Hill

**AMENDMENTS TO THE CLAIMS**

1. (Original) An adhesive roller construction comprising:  
  
an elongated strip, said strip having a backing layer and adhesive layer overlying one side of said backing layer, said strip having a first end, a second end and two spaced apart sides, said strip being wound from said first end to said second end into a tubular cylindrical roll,  
  
wherein said backing layer comprises a compressible layer.
2. (Original) The invention as defined in claim 1 wherein said compressible layer comprises a foam layer.
3. (Original) The invention as defined in claim 2 wherein said foam layer comprises a closed-cell foam layer.
4. (Original) The invention as defined in claim 1 and comprising a release agent covering at least a portion of the other side of the backing layer.
5. (Original) The invention as defined in claim 4 wherein said release agent comprises silicone.
6. (Original) The invention as defined in claim 1 and comprising an antimicrobial coating on said one side of said backing layer.

7. (Original) The invention as defined in claim 1 and comprising a fragrance coating applied to said backing layer.

8. (Original) The invention as defined in claim 1 and comprising an antistatic coating applied to said backing layer.

9. (Original) The invention as defined in claim 1 and comprising a plurality of perforation lines extending between said sides of said strip at predetermined intervals therealong, said predetermined interval corresponding substantially to one revolution of said strip around the roll.

10. (Original) The invention as defined in claim 1 and comprising a cut formed through the roll, said cut extending through substantially all layers of the strip around the roll.

11. (Original) The invention as defined in claim 10 wherein said cut terminates short of each side of said strip.

12. (Original) The invention as defined in claim 1 wherein said backing layer comprises a non-woven electrostatic charge retaining material.

13. (Original) The invention as defined in claim 12 wherein said backing layer comprises polyethylene.

14. (Original) The invention as defined in claim 1 wherein said backing layer comprises a hydrocarbon gas impregnated foam.

15. (Currently Amended) A detritus ~~removal~~ roller construction comprising:  
an elongated strip constructed of a ~~woven~~ non-woven, electrostatic charge retaining material, said strip having a first end, a second end and two spaced apart sides, said strip being wound from said first end to said second end into a tubular cylindrical roll.

16. (Original) The invention as defined in claim 15 wherein said strip comprises polyethylene.

17. (Original) The invention as defined in claim 1 and comprising a second backing layer overlying said first mentioned backing layer.